



DSF VIOLATIONS APPLICATION GUIDELINES

HELP MENU



[Home](#)

- [NAVIGATION](#)
 - [Glossary of Terms](#)
 - [Links](#)
 - [Buttons](#)
- [DATA ENTRY](#)
 - [Updating Violations](#)
 - [Searching for Violations](#)
- [REPORTS](#)
 - [VCU LIST](#)
 - [Sort](#)
 - [VIEW](#)
 - [List of Reports \(descriptions\)](#)
 - Level 2 & 3
 - Level 5"
- [PRINTING](#)
 - [VCU Forms](#)
 - [Printer Friendly Version](#)
 - [Export to Excel](#)
 - [Page Setup](#)
- [APPENDIX](#)
 - [Passwords](#)
 - [Time-Out](#)
 - [Calendar](#)
 - [Agency Code Table](#)
 - [Violation Code Table](#)

FAQ

- [Why can't I enter or edit information on a violation?](#)
- [What is the difference between the View Link and Search Violations Link?](#)
- [Who do I contact for a new password or password reset?](#)
- [Why do I get these messages when I Login ?](#)
 - *Invalid Username/Password combination '*
 - *New and Re-Type passwords must match'*



DSF VIOLATIONS APPLICATION GUIDELINES

HELP




- [NAVIGATION](#)

- **GLOSSARY OF TERMS**

Use the Navigation Chart below of various buttons, to determine how to perform tasks in the DSF Violations application.



[Home](#)

Button	Description	Button	Description
	Click after you type in your User Name and Password to access the system	VCU FORM	Used by VCU for requesting dismissal of violation. Click this button to view, and/ or print all VCU Forms attached to the violation.
SAVE	Retains record	UPDATE	Click to Edit a Violation Item
RESET	Refresh data entry screen (all required fields *must be filled in)	VIEW REPORT	Generates a master list for editing purposes
	Located in the application. Click to return to the previous screen.	PRINTER FRIENDLY VERSION	Prepares report for printing columns (use landscape to see all columns)
	Located on Browser Toolbar. Click the green arrow to start over.	EXPORT TO EXCEL	Creates a copy of the report in Excel for editing purposes
SEARCH	Type violation number - Click to locate		



DSF VIOLATIONS APPLICATION GUIDELINES

HELP


- **NAVIGATION**



Home


- **LINKS** are provided for accessing the various functions in the DSF Violation system.

[e.g. **HOME, UPDATE, VCULIST, VIEW, REPORTS, SEARCH, LOGOUT, HELP**]



- **LINKS** are also provided for accessing an individual **VCU Form** associated with a Violation Item.

- **BUTTONS** provide the opportunity to choose a function by clicking with your Mouse





DSF VIOLATIONS APPLICATION GUIDELINES

HELP

DATA ENTRY



Home

- **Update Violations**

Use to Search, Edit **Violation Item(s)**, and to view or print **VCU Form(s)**.

- **Searching Violations**

All users have access to the Search function. Primarily used to view **Violation Status**, **Previous Violation Status**, and used to print out **VCU Form(s)**.

- **REPORTS**

- **VCULIST**

Generates a report (using data selected by user), and allows the user to “toggle” back and forth from report to Update violations screen; users can click on any field in the report to access the details of that violation

- **To Generate a Report**

- Complete the fields required for your report
 - Click the **View Report** button

- Sort**

- You can **sort** by clicking the column header title (e.g. *Status of Work*)

- **VIEW**

Provides the option to view and print VCU Form(s) for a specific violation. Users **can not** “toggle” or “update” violation information in the View function.

- **PRINTING**

- **VCU FORMS**

- Use the **VCU Form** **button** to view, and/or print **all** VCU Forms attached to the violation.
 - Use the **VCU Form** **link** to view or print a **specific** form.



DSF VIOLATIONS APPLICATION GUIDELINES

HELP



[Home](#)

- **PRINTER FRIENDLY VERSION** – Prepares report for printing columns.
 - After completing the fields required for the report, Click Printer-Friendly Version button
 - Choose Landscape by clicking OK
 - Select File, Page Setup
 - Click size dropdown, select "Legal 8 ½ x 14"
 - Select Landscape Orientation
 - [To Preview](#)
 - Select File, Select **Print Preview**
 - [To Print](#)
 - Select File, Select **Print**
-

- **EXPORT TO EXCEL** – Creates a copy of the report in Excel for editing purposes.
 - [You can view, edit, or save a report in Excel](#)
 - Click the **Export to Excel** button
 - Click **Open** (at File Download)
 - Click **File** (menu bar) then click '**Save As**'
 - Choose the location to save the file in
 - '**Save as type**' '*Microsoft Office Excel Workbook (*.xls)*'
 - Click Save
 - Click File, select **Page Setup**
 - Select **Page Tab**, and change scaling by selecting
 - **Landscape, Scaling** (adjust to 70% of normal size)
 - **Paper size** – Legal 8 ½ x 14 in
 - Select **Sheet Tab** look for '**Rows to repeat at top**' and type **\$1:\$1**
 - Click Print Preview to check if margin settings are correct
 - Click the 'Print' button to print the document
-



DSF VIOLATIONS APPLICATION GUIDELINES


HELP – Appendix




[Home](#)

- **PASSWORDS** The first time you login you will be prompted to change the *generic* (e.g. *welcome*) password that was given to you by the system administrator. Follow the guidelines below to change your password. There are no minimum or maximum number of characters required, and the password is not *case sensitive*.

At the Login Screen:

- Type your User Name
- Type the *generic* password that was given to you (*welcome*)
- Click the  button

At the Change Password Screen:

- Type the generic password
- Type a new password of your choice in the 'Enter New Password' field
- Type your new password again in the 'Re-Type New Password' field to confirm
- Click the  button

Password Error Messages:

- *'Invalid Username/Password combination'*

Cause:

You have mistyped either your Login ID and/or password in the field.

Solution:

Delete what is there and retype the correct information, then click the  button.

- *'New and Re-Type passwords must match'*

Cause:

The new password does not match the password in the 'Re-Type new Password' field

Solution:

Make sure you type the same New Password in the 'Re-Type new password' field, then

Click the  button.

- **TIME-OUT** The DSF Violations System may 'time-out' after approximately 15 to 20 minutes of 'inactivity'. If this occurs during your logon period, you will have to logon to the system again with your user name and password.

- **CALENDAR** The 'Text Size' of your calendar can be selected from the **View** command on the Internet Explorer browser menu bar. To see the full calendar, it should be set to Medium.

- **Browser Menu bar**
- **View command**
- **Text Size ->Medium**



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix



[Home](#)

FAQ

- [Why can't I enter or edit information on a violation?](#)

Ans: *Your rights in this application are set by your manager. In many cases users need only search for violations, and run queried reports.*

- [What is the difference between the View Link and Search Violations Link?](#)

Ans: *The **View** link enables the user to bring up current violations. The **Search Violations** link will display current violations **AND** all previous violations associated with the current violation (i.e., school building ID). It is recommended that users perform all search for violations using the Search Violations Link since it performs the same function as the View Link with the added feature of associating any previous violations.*

- [Who do I contact for a new password or password reset?](#)

Ans: *For password reset, first confirm with your manager that you are still a designated user of the Violation's Application; after confirming that you are a current user, submit an email to the attention of **BARBARA GULOTTA**. You will be sent an email response after your user account has been reset.*



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix – AGENCY CODES

Below is a listing of Agency Codes used frequently when creating reports from the **VCUList** and **Reports** links.

The Agency Code is **selected** into a '**suggestion**' box. Therefore, if you place the first character of the Agency in that box the program will '**jump**' to the beginning of that place in the listing:

The screenshot shows the DSF Violations application interface. The 'Report: Vio Agency Geo Assign SOW Report' form is displayed. The 'Agency Code' field is circled in red. A dropdown menu is open, showing a list of agency codes starting with 'e'. A red box highlights the first character 'e' in the dropdown, and an arrow points to it from a text box explaining the 'jump' functionality.

Type the first character of Agency in the '**suggestion**' box, and the program will '**jump**' to the listing for that character. The characters are in alphabetical order.

Agency Code	Agency Name
CBD	NYC DEPT OF BLDGS
CBEC	NYC BUR OF ELEC CONT
CDGS	NYC DEPT GEN SERVICE
CDWR	NYC DEPT WATER RESCR
CECB	NYC ENVIRON CONT BD
CFD	NYC FIRE DEPT
CFDVO	CITY FIRE DEPT VIO ORDER
CHD	NYC DEPT OF HEALTH
CHWY	NYC DEPT OF HIGHWAYS
CPT	NYC PORTS & TERMINAL
D-BOI	DEP BOILERS
DEP	DEP
DEP-A	AIR POLLUTION
DEP-B	DEP BACKFLOW PREV.DEVICE
DEP-P	POLLUTION PREVENTION

Agency Code	Agency Name
DOT	DEPARTMENT OF TRANSPORTATION
ECB-A	EPA ASBESTOS CONTROL
ECB-B	BLDG DEPT BOILER DIV
ECB-C	BLDG DEPT CONSTR DIV
ECB-E	BLDG DEPT ELEVATOR DIV
ECB-P	BLGE DEPT PLUMBING DIV.
ECB-S	SANITATION
ECB-W	WATER REGISTRY
FCC	FED COMMUNIC COMM
PVT-E	BLDG DEPT PRIVATE ELEV DIV
SDEC	NYS DEPT ENVIRON CON
SDL	NYS DEPT OF LABOR
SOSHA	NYS OCCU SAFETY HEALTH ADMIN
UCE	USARMY CORPS OF ENGR
UCG	US COAST GUARD
UDI	US DEPT OF INTERIOR



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix –VIO CODES

There are more than 700 Vio Codes listed in the *DSF Violations Application*. Use the charts below as a reference, and to quickly find the codes by typing the first character, or Vio Code into the '**suggestion**' box. When the character(s) has been typed in the vio code box, the program will '**jump**' to the beginning of that place in the listing.

- To select the code place your pointer on the link description.

Violation Number: 122375j

New Item

Category: --Select Item--

Assign Date: 01/17/2008

Vio Code: 4

4-NO WORK PERMIT

40-AMMONIA SYSTEM CERTIFICATIONS


41-BROKEN SIDEWALK/CURB

41A-ATHLETIC FIELD REPAIRS

41B-BLEACHER REPAIRS

41C-PYAGROUND REPAIRS

Type the first character in the '**suggestion**' box, and the program will '**jump**' to the beginning of the alphabetical/numerical listing for that character.

- When you see the  '**pointing hand icon**', click the link once with your left mouse button to select the Code.

Vio Code	Description
1	MISSING EXIT SIGNS
2	NO CERTIFICATE OF OCCUPANCY
3	NO PLACE OF ASSEMBLY PERMIT/PLANS/SIGN
4	NO WORK PERMIT
8	ELEVATOR TEST OR REPAIRS(SHOPS)
9	BROKEN WINDOW/DEF. FRAME OR SILL
10	DEF WINDOW CLEANING ANCHOR BOLTS
11	UNAPPROVED/DEFECTIVE MAGNETIC DOOR LOCK SYSTEM
12	MISSING DOORS
13	MISSING OR INOPERATIVE PANIC HARDWARE/DOOR CLOSERS
14	OBSTRUCTED CORRIDORS/EXITS



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix –VIO CODES

Vio Code	Description
15	CRACKED MASONRY/PARAPETS
16	FALLING MASONRY/PARAPETS
17	STRUCTURAL DEFECTS
18	LABORATORY CERTIFICATIONS
19	FIRE EXTINGUISHER-RECHARGE
20	STANDPIPE/SPRINKLER SYSTEM PRESSURE TEST
21	DEFECTIVE FIRE ALARM SYSTEM
22	NO TELE COMMUNICATION WITH FIRE DEPT
23	ILLEGAL STORAGE
24	LOOSE RUBBISH
25	OVER CROWDING
26	DEFECT ELECTRICAL INSTALLATION
27	BOILER INSTALLATION/OPERATION
28	AIR POLLUTION CONTROL DEVICES
29	DEFECTIVE FIRE ESCAPE
30	GARBAGE ACCUMULATION
31	UNSWEPT SIDEWALKS & CURBS
32	ILLEGAL WATER USE
33	POOL MAINTENANCE
34	SAN MEDICAL ROOM FIXTURES
35	RODENT/INSECT INFESTATION
36	MISSING OR INOP. ILLUMINATED EXIT SIGNS
37	DAMAGED CURTAINS
38	AIR COMPRESSOR TEST/CERTIF
39	EXPOSED ASBESTOS
80	PROPERLY CLOSE FIRE & SMOKE DOORS
81	BROKEN WINDOW GLASS
82	PROPERLY SECURE WINDOW GUARDS
83	IMPROPER GARBAGE RECEPTACLES
84	WATER NOT PROVIDED TO PLUMBING FIXTURE
85	DRIPPING FAUCETS/DAMAGED LIGHTING FIXTURES
86	IMPROPER WINDOW SILL WIDTH FOR CLEANING
87	MAINTAIN SPRINKER/STANDPIPE SYSTEM RECORD
88	FIRE SAFETY DIRECTOR CERTIFICATION
89	FIRE/EMERGENCY SAFETY/ACTION PLAN
90	FIRE WARDEN AND/OR SEARCHERS
91	POST FIRE DRILL EVACUATION ASSIGNMENT
92	FIRE COMMAND STATION
93	DEFECTIVE EXTERIOR LIGHTING SYSTEM
94	FIRE COMMAND STATION COMMUNICATION SYSTEM
95	WASTE OIL REMOVAL
96	PURGE UNUSED OIL TANKS



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix –VIO CODES

Vio Code	Description
97	FOOD PREPARATION REQUIREMENTS
98	DAMAGED INSULATION/INSTALL INSULATION
99	IMPROPER ADMIN' CONDITIONS-NOT BOARD OF EDUCATION
100	HANDICAPPED REQUIREMENTS
101	BROADCAST REQUIREMENTS AND CERTIFICATIONS
102	NO PLACE OF ASSEMBLY PLANS OR PERMIT
103	NO PLACE OF ASSEMBLY CAPACITY SIGN
104	LOCKED EXIT DOORS/ILLEGAL HARDWARE
105	INOPERATIVE EXIT DOORS
106	MISSING CORRIDOR DOORS
107	DEFECTIVE DOORS
108	MISSING PANIC HARDWARE
109	INOPERATIVE PANIC HARDWARE
110	MISSING FIRE ALARM SYSTEM
111	DEFECTIVE FIRE ALARM SYSTEM
112	MISSING EMERGENCY LIGHTING (LOCAL LAW 41/78)
113	DEFECTIVE EMERGENCY LIGHTING
114	HOOD FIRE CONTROL SYSTEM INSTALLATION
115	SEMI ANNUAL TEST AND INSPECTION
117	REPAIR/REPLACE CHAIN LINK FENCE/GATE
102A	NO PLACE OF ASSEMBLY PLANS
102B	NO PLACE OF ASSEMBLY PERMIT
108A	MISSING LOCK SET
108B	MISSING DOOR CLOSER
109A	INOPERATIVE LOCK SET
109B	INOPERATIVE DOOR CLOSER
10A	DEFECTIVE WINDOW CLEANER SAFETY BELT
112A	FAILURE TO PROVIDE ADEQUATE EMERGENCY LIGHTS IN STAIRS AND CORRIDORS
112B	FAILURE TO PROVIDE ADEQUATE EMERGENCY POWER TO EXIT LIGHTS
112C	DEFECTIVE EXIT LIGHTING
113A	LABEL CIRCUIT BREAKERS FOR EMERG. LIGHTS
115A	SUPPRESSION SYSTEM TEST & CERTIFICATION
115B	SYSTEM MAINTENANCE
115C	PROVIDE/CLEAN FILTERS
115D	RANGE HOOD/DUCT CLEANING/INSPECTION & MAINTAIN LOG
115E	PROVIDE SKETCH OF DUCT SYSTEM
115G	PROVIDE OPERATING AND CLEANING INSTRUCTIONS(ANSUL SYSTEM)
116A	PROVIDE SIDEWALK BRIDGING
116B	MAINTAIN SIDEWALK BRIDGING
116C	PERMIT-SIDEWALK BRIDGING
116D	SCAFFOLDING
117A	DEFECTIVE WROUGHT IRON FENCE



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix –VIO CODES

Vio Code	Description
117B	R/R BASKETBALL BACKBOARDS/HOOPS
14A	EXTERIOR TRIP HAZARD
14B	INTERIOR TRIP HAZARD
15A	CRACKED STRUCTURAL GLASS BLOCK
15B	CRACKED CHIMNEY
15C	ROOF RAILINGS REPAIR/INSTALL
15D	ROOF RELATED MAINTENANCE
15E	CRACKED MASONRY INTERIOR
15F	CRACKED MASONRY EXTERIOR
15G	CRACKED GLAZED BLOCK / WALL
15H	DEFECTIVE COPING STONES/METAL COVERING
15I	DEFECTIVE SIDING
17A	ENGINEER'S STRUCTURAL STABILITY REPORT
17B	RETAINING WALL REPAIR
17C	EXTERIOR STEPS/RAILINGS
17D	CHIMNEY DEFECT OR REMOVED
17E	FLAG POLE REPAIRS
17F	DAMAGED AREAWAY / GRATING
17G	INTERIOR STEPS / RAILINGS
18A	LABORATORY CHEMICALS/ STOREROOM
18B	MAINTAIN SAFETY SHOWER/EYE WASH
19A	FIRE EXTINGUISHER-5YR HYDRO TEST
19B	FIRE EXTINGUISHER-INSPECT/TAG/LOG
19C	FIRE EXTINGUISHER/PROVIDE
19D	FIRE EXTINGUISHER-MAINTENANCE
19E	FIRE SMOKE DETECTORS - MAINTENANCE
19F	FIRE SUPPRESION SYSTEM/GASOLINE DISPENSING
1A	DIRECTIONAL EXIT SIGNS
20A	5 YEAR TEST-SPRINKLER SYSTEM
20B	5 YEAR TEST-STANDPIPE SYSTEM
23A	INADEQUATE HOUSEKEEPING
26A	DEFECTIVE GAS INSTALLATION
2A	AMENDED CERTIFICATE OF OCCUPANCY
2B	LL 16/84 CERTIFICATION
2C	LL 5/73 CERTIFICATION
32A	PROVIDE INDIRECT WASTE
32B	PROVIDE SOAP DISPENSER
32C	PROVIDE 3 COMPARTMENT SINK
32D	PROVIDE HAND WASH SINK
32E	PROVIDE HAND WASH SIGN
32F	PROVIDE DRAIN COVER
32G	MAINTAIN SINK
32H	INSTALL GREASE INTERCEPTOR



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix –VIO CODES

Vio Code	Description
32I	MAINTAIN WATER CLOSET
32J	PLUMBING REPAIR/MISC
36A	MISSING ILLUMINATED EXIT SIGN
36B	INOPERATIVE ILLUMINATED EXIT SIGN
38A	AIR COMPR' 5 YEAR TEST
38B	CERT/FITNESS-AIR COMPR'
38C	AIR COMPRESSOR MAINTENANCE
39A	ABATEMENT REGULATIONS
39B	ASBESTOS AWARENESS /RIGHT TO KNOW TRAINING
40	AMMONIA SYSTEM CERTIFICATIONS
41	BROKEN SIDEWALK/CURB
41A	ATHLETIC FIELD REPAIRS
41B	BLEACHER REPAIRS
41C	PLAYGROUND REPAIRS
42	PROPANE TANK USE
42H	PARAPET HEIGHT REQUIREMENT
43	ILLEGAL DISCHARGE INTO SEWER SYSTEM
43A	FAILED TO INSTALL BACKFLOW PREVENTION DEVICE
43B	BACKFLOW PREVENTION ANNUAL TEST
43C	BACKFLOW PREVENTION INSTALLATION FAILURE
43D	WATER METER DEFECT
44	FIRE SAFETY SIGNS
45	STAIR ENCLOSURE REQUIREMENTS
46	VENTILATION REQUIREMENTS
46A	INSTALL VENT COVERS/LOUVERS
47	BOILER INSPECT/OPERATION DOB APPROVAL
48	INSTALL AUTO FIRE SUPPRESION SYSTEM
49	TEST OF REFRIGERATION SYSTEM
5	WORK CONTRARY TO OR NO APPROVED PLAN
50	FLAMEPROOFING
51	USE OF OXYACETYLENE TORCH/ COF
52	EMERGENCY LIGHTING (LOCAL LAW 41/78)
53	DAMAGED PARTITIONS/DOORS
53A	DAMAGED CHALK/DISPLAY BOARD
53B	DAMAGED LOCKERS
53C	DAMAGED AUDITORIUM SEATS
54	DAMAGED WINDOW FRAME
54A	DAMAGED WINDOW MECHANISM - SASH CHAIN
54B	DAMAGED WINDOW MECHANISM - BALANCE
55	SEAL BUILDING
56	SPRINKLER SYS INSTALLATION
57	ELEVATOR RECALL SYSTEM(LOCAL LAW 5/73)
58	PRESSURIZED STAIR(LOCAL LAW 5/73)



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix –VIO CODES

Vio Code	Description
59	SPRINKLER SYSTEM OPERATOR CERTIFICATE OF FITNESS
6	WATER PROBLEMS OF LEAKS
60	HEATING SYST OPERATION CERTIFICATION
60A	STEAM/HEATING REPAIRS
61	A/C SYSTEM OPERATION CERTIFICATION
61A	A/C EQUIP USE PERMIT-BLDG DEPT
61B	A/C CERTIFICATE OF FITNESS
61C	AC EMERGENCY SHUTOFF SWITCH
61D	PROVIDE AC LABEL PLATE
61E	A/C MAINTENANCE
61F	IMPROPERLY INSTALLED A/C WINDOW UNIT
62	PERMIT FOR FUEL OIL STORAGE
63	PAINT STORAGE RM MAINTENANCE
63A	PAINT STRM F.D. PERMIT
63B	PAINT STRM CONCRETE SILL
63C	PAINT STRM FIRE DOOR
63D	PAINT STRM VENTILATION
63E	PAINT STRM LIGHTING
63F	PAINT STRM FIRE EXTING'R
63G	PAINT STRM SAFETY SIGN/NO SMOKING
63H	PAINT RM-BLDG DEPT APPROVAL
63J	PAINT RM-SPRINKLER SYSTEM
63K	PAINT STR RM CABINET-INSTL
63L	PAINT STR RM CABINET'MAINT
63M	CERTIFICATE OF FITNESS PAINT SPRAYING
63O	PAINT STR NO SMOKING SIGN
64	BUILD APPURTENANCES(LOCAL LAW 10/80)
64A	LOCAL LAW 11/98
64B	LOCAL LAW 26 OF 2004
65	DEFECTIVE GARBAGE RECEPTACLES
66	NOISE POLLUTION
67	HOOD FIRE CONTROL SYSTEM INSTALL/MAINT
68	ELECTRICAL SYSTEM CERTIFICATIONS
68A	SPRINKLER ALARM
68B	ELECTRICAL CODE REQUIREMENTS
69	SPRINKLER & STANDPIPE SYSTEM MAINTENANCE
69A	SPRINKLER & STANDPIPE SYSTEM MAINT. (CONTRACTOR)
6A	WATER PENETRATION THROUGH WALLS
6B	WATER PENETRATION THROUGH BOILER ROOM WALLS
7	PEELING PAINT/CRACKED PLASTER/DEF. CEILING/FLOOR
70	SPRINKLER & STANDPIPE SYSTEM SIGNS.
70A	PROVIDE SIGN GENERAL
70B	ELEVATOR LANDING SIGNS



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix –VIO CODES

Vio Code	Description
71	INSUFFICIENT LIGHTING
71A	LIGHTED EXIT SIGN
72	HOOD FIRE CONTROL SYS. CERTIFICATION
73	STATE LABOR LAW CERTIFICATIONS
74	ELEVATOR INSPECTIONS(LOCAL LAW 10/81)
75	STANDPIPE SYSTEM OPERATOR CERTIFICATE OF FITNESS
76	FIRE ALARM SYSTEM CERTIFICATIONS
76A	REPAIR INTERIOR FIRE ALARM SYSTEM
77	MAINTAIN FIRE DRILLS & RECORD
77A	FIRE ALARM SYSTEM /TEST RECORD
77B	PROVIDE / REPAIR HEAT DETECTOR
78	CLOGGED DRAINS
79	GASOLINE TANK SYS PRESSURE TEST
79A	CERTIFICATE OF FITNESS-MOTOR FUEL OIL
79B	DIESEL GEN - DOB APPROVAL
79C	DIESEL GEN - REMOTE SHUT / OFF
79D	DIESEL GEN - MAINTENANCE
79E	EUP DIESEL GENERATOR/STORAGE TANK
7A	MISSING/DAMAGED WALL / FLOOR TILES
7B	REPAIR ROOF
7C	DAMAGED / MISSING CEILING TILES
7D	PEELING PAINT ON CEILING
7E	DAMAGED FLOORING/WOOD/ASPHALT
7F	PROVIDE/MAINTAIN FIRESTOPPING
81A	VISION PANELS/WIRE GLASS PANELS/ INSTALL/REPLACE
82A	PROVIDE WINDOW/DOOR SCREENS
85A	PROVIDE SHIELD FOR LIGHTING FIXTURES
86A	IMPROPER WINDOW LOCKING DEVICE
8A	ELEVATOR TEST OR REPAIRS (SERVICE CONTRACT)
8B	OUTSIDE COMMUNICATION SYSTEM
90A	FIRE GUARD-CERTIFICATE OF FITNESS
90B	CERTIFICATE OF FITNESS - INTERIOR FIRE ALARM
90C	DAILY LOG/TEST-INTERIOR FIRE ALARM
94A	REPAIR/REPLACE INTERCOM. SYSTEM
98A	MISSING RADIATOR COVER
98B	BROKEN SEATING
999	NOT AVAILABLE
99A	SHOP/SPRAY BOOTH VIOLATIONS
9A	WINDOW CLEANING OBSTRUCTION (NO 30" CL)
B000	AIR COMPRESSOR-MISC
B001	AIR COMPRESSOR-RECEIVER-5 YR HYDRO
B002	AIR COMPRESSOR-RECEIVER-MAINTENANCE
B003	AIR COMPRESSOR-COMPRESSOR MAINTENANCE



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix –VIO CODES

Vio Code	Description
B004	AIR COMPRESSOR-FOUNDATION MAINTENANCE
B005	AIR COMPRESSOR-PIPING
B006	AIR COMPRESSOR-GAUGES
B007	AIR COMPRESSOR-MOTOR
B008	AIR COMPRESSOR-WIRING
B009	AIR COMPRESSOR-CERTIFICATE OF FITNESS
B010	AQUASTAT-MISCELLANEOUS
B011	AQUASTAT-DEFECTIVE
B012	AQUASTAT-MISSING
B020	BOILER ROOM-MISCELLANEOUS
B021	BOILER ROOM-VENTILATION
B022	BOILER ROOM-FIRE DOOR MAINTENANCE
B023	BOILER ROOM-FIRE DOOR MISSING
B024	BOILER ROOM-FIRE DOOR CLOSURE MAINTENANCE
B025	BOILER ROOM-FIRE DOOR CLOSURE MISSING
B026	BOILER ROOM-REMOTE FUEL OIL CUTOFF MAINTENANCE
B027	BOILER ROOM-REMOTE FUEL OIL CUTOFF MISSING
B028	BOILER ROOM-DEFECTIVE OVERHEAD/WALL
B029	BOILER RM - FIREPROOF WINDOW
B030	BOILER SHELL/SECTIONS-MISC
B031	BOILER SHELL/SECTIONS-CRACKED
B032	BOILER SHELL/SECTIONS-CORRODED
B033	BOILER SHELL/SECTIONS-LEAKING
B034	BOILER SHELL/SECTIONS-EXCESSIVE SOOT
B035	BOILER SHELL/SECTIONS-CERTIFICATION
B036	BOILER SHELL/SECTIONS-RED TAG
B037	BOILER SHELL/SECTIONS-INOPERABLE
B038	BOILER SHELL/SECTIONS-HYDRO
B039	DAMAGED BOILER INSULATION
B040	COMBUSTION CHAMBER-MISCELLANEOUS
B041	COMBUSTION CHAMBER-COLLAPSED WALL
B042	COMBUSTION CHAMBER-CRACKED
B043	COMBUSTION CHAMBER-DEFECTIVE
B050	FIRE GRATES-MISCELLANEOUS
B051	FIRE GRATES-INOPERATIVE
B052	FIRE GRATES-MISSING
B053	FIRE GRATES-REPLACE
B060	TUBES/TUBE SHEET-MISCELLANEOUS
B061	TUBES/TUBE/SHEET-DIRTY
B062	TUBES/TUBESHEET-LEAKING
B063	TUBES/TUBESHEET-ILLEGAL PLUG
B064	TUBES/TUBESHEET-EXCESSIVE PLUGS
B065	TUBES/TUBESHEET-WARPING



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix –VIO CODES

Vio Code	Description
B066	TUBES/TUBESHEET-PITTING
B067	TUBES/TUBESHEET-IMPROPER ROLLING
B068	TUBES/TUBESHEET-REPLACE
B069	TUBES/TUBESHEET-RED TAG
B070	BOILER, TOTAL UNIT-MISCELLANEOUS
B071	BOILER, TOTAL UNIT-CRACKED
B072	BOILER, TOTAL UNIT-SMOKE/EMISSION (CH 1, SECT 142)
B073	BOILER, TOTAL UNIT-MAINTENANCE LOG
B074	BOILER, TOTAL UNIT-ANNUAL INSPECTION (LL 62/91)
B075	BOILER, TOTAL UNIT-CERTIFICATE OF OPERATION
B076	BOILER, TOTAL UNIT-CERTIFICATE OF FITNESS
B077	BOILER, TOTAL UNIT-RED TAG
B078	BOILER, TOTAL UNIT-FAILURE TO MAINT'(CH 1,SEC 155)
B079	BOILER, TOTAL UNIT-DISPLAY PERMITS, CERTIFS, ETC.
B080	BOILER HANDHOLES/MANHOLES-MISC
B081	BOILER HANDHOLES/MANHOLES-CORRODED
B082	BOILER HANDHOLES/MANHOLES-LEAKING
B083	BOILER HANDHOLES/MANHOLES-INOPERABLE
B090	HAZARDOUS CONDITION-MISC
B091	HAZARDOUS CONDITION-RED TAG UNIT IN USE
B092	HAZARDOUS CONDITION-ILLEGAL REPAIRS
B093	HAZARDOUS CONDITION-ILLEGAL OPERATION, CEASE USE
B094	HAZARDOUS CONDITION-EXPOSED ASBESTOS
B100	LOW WATER CUTOFF-MISC
B101	LOW WATER CUTOFF-INOPERABLE
B102	LOW WATER CUTOFF-MISSING
B110	PRESSURE CONTROLS-MISCELLANEOUS
B111	PRESSURE CONTROLS-DEFECTIVE
B112	PRESSURE CONTROLS-MISSING
B120	MECHANICAL EXHAUST FAN-MISC
B121	MECHANICAL EXHAUST FAN-DEFECTIVE
B122	MECHANICAL EXHAUST FAN-INADEQUATE
B123	MECHANICAL EXHAUST FAN-INOPERABLE
B124	MECHANICAL EXHAUST FAN-GAUGES
B130	FUEL OIL BURNER-MISCELLANEOUS
B131	FUEL OIL BURNER-INSTALLATION APPROVAL
B132	FUEL OIL BURNER-LEAKAGE
B133	FUEL OIL BURNER-MAINTENANCE
B134	FUEL OIL BURNER- CERTIFICATE TO OPERATE
B135	FUEL BURNER - EXPIRED REGISTRATION
B136	FUEL OIL BURNER - EXPIRED CERTIFICATE OF OPERATION
B137	FUEL BURNER- FAILURE TO OBTAIN REGISTRATION
B140	FUEL OIL LINES-MISC



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix –VIO CODES

Vio Code	Description
B141	FUEL OIL LINES-DEFECTIVE/DAMAGED
B142	FUEL OIL LINES-LEAKING
B143	FUEL OIL LINES-UNCOVERED
B144	FUEL OIL LINES-LABELED
B145	FUEL OIL LINES-GAUGES
B150	FUEL OIL STORAGE-MISCELLANEOUS
B151	FUEL OIL STORAGE-ANTI SYPHON
B152	FUEL OIL STORAGE-PETROMETER
B153	FUEL OIL STORAGE-LEAKAGE
B154	FUEL OIL STORAGE-ROOM CONSTRUCTION REQ'MENTS
B155	FUEL OIL STORAGE-PERMIT
B156	FUEL OIL STORAGE-SPILL
B157	FUEL OIL STORAGE-TANK REMOVE/SEAL
B158	FUEL OIL STORAGE-CERTIF/APPRVL-BLDG DEPT
B160	FUEL OIL PUMP-MISC
B161	FUEL OIL PUMP-INOPERABLE
B162	FUEL OIL PUMP-LEAKING
B170	FUEL OIL STRAINER-MISC
B171	FUEL OIL STRAINER-DEFECTIVE/DAMAGED
B180	FUEL OIL HEATER-MISC
B181	FUEL OIL HEATER-LEAKAGE
B182	FUEL OIL HEATER-INOPERABLE
B190	FUEL OIL REMOTE SHUTOFF-MISC
B191	FUEL OIL REMOTE SHUTOFF-DEFECTIVE
B192	FUEL OIL REMOTE SHUTOFF-MISSING
B193	FUEL OIL REMOTE SHUTOFF-LABLE
B200	CONDENSATE RETURN LINES-MISC
B201	CONDENSATE RETURN LINES-DEFECTIVE/DAMAGED
B202	CONDENSATE RETURN LINES-LEAKAGE
B210	SAFETY VALVE-MISC
B211	SAFETY VALVE-INLET REDUCED
B212	SAFETY VALVE-OUTLET REDUCED
B213	SAFETY VALVE-MISSING, FLANGE BLANK
B214	SAFETY VALVE-DEFECTIVE/DAMAGED
B215	SAFETY VALVE-UNDERSIZED
B216	SAFETY VALVE-GAGGED
B217	SAFETY VALVE-CERTIFICATION/CALIBRATION REQUIRED
B220	SMOKE BOX/ALARM/DETECTORS-MISC
B221	SMOKE BOX/ALARM/DETECTORS-COLLAPSED
B222	SMOKE BOX/ALARM/DETECTORS-CORRODED
B223	SMOKE BOX/ALARM/DETECTORS-DEFECTIVE/DAMAGED
B224	SMOKE BOX/ALARM/DETECTORS-DIRTY
B225	SMOKE BOX/ALARM/DETECTORS-DISCONNECTED



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix –VIO CODES

Vio Code	Description
B230	STEAM GAUGES-MISC
B231	STEAM GAUGES-DEFECTIVE/DAMAGED
B232	STEAM GAUGES-DIRTY
B233	STEAM GAUGES-MISSING
B234	STEAM GAUGES-CALIBRATION REQUIRED
B240	TRI COCKS-MISC
B241	TRI COCKS-DEFECTIVE/DAMAGED
B242	TRI COCKS-LEAKING
B243	TRI COCKS-MISSING
B250	WATER COLUMN-MISC
B251	WATER COLUMN-DEFECTIVE/DAMAGED
B252	WATER COLUMN-MISSING
B260	CONDENSATE VACUUM PUMP-MISC
B261	CONDENSATE VACUUM PUMP-DEFECTIVE/DAMAGED
B262	CONDENSATE VACUUM PUMP-INOPERABLE
B263	CONDENSATE VACUUM PUMP-MISSING
B264	CONDENSATE VACUUM PUMP-GAUGES
B270	FUSIBLE PLUGS-MISC
B271	FUSIBLE PLUGS-CORRODED
B272	FUSIBLE PLUGS-LEAKING
B273	FUSIBLE PLUGS-MISSING
B274	FUSIBLE PLUGS-INCORRECT SIZE
B280	RIVETS-MISC
B281	RIVETS-LEAKING
B282	RIVETS-PADDED
B290	STAY BOLTS-MISC
B291	STAY BOLTS-IMPROPER INSTALLATION
B292	STAY BOLTS-DEFECTIVE/DAMAGED
B293	STAY BOLTS-MISSING
B300	MUDLEGS-MISC
B301	MUDLEGS-CORRODED
B302	MUDLEGS-IMPROPER INSTALLATION
B303	MUDLEGS-LEAKING
B310	CATWALK-MISC
B311	CATWALK-DEFECTIVE/DAMAGED
B312	CATWALK-MISSING
B313	CATWALK-RUSTED
B314	CATWALK-OBSTRUCTED
B315	INSTALL INCLINED LADDER
B320	CHEMICAL STATION-MISC
B321	CHEMICAL STATION-LEAKING
B322	CHEMICAL STATION-INSTRUCTIONS
B323	CHEMICAL STATION-DEFECTIVE VALVE



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix –VIO CODES

Vio Code	Description
B330	MAIN STEAM LINES-MISC
B331	MAIN STEAM LINES-DEFECTIVE/DAMAGED LAGGING
B332	MAIN STEAM LINES-STEAM STOP LEAK
B333	MAIN STEAM LINES-LEAKING
B334	MAIN STEAM LINES-WARM UP BYPASS
B335	MAIN STEAM LINES-POSSIBLE ASBESTOS
B340	INCINERATOR-MISC
B341	INCINERATOR-USE PERMIT
B342	INCINERATOR-NOT PROPERLY SEALED
B350	STACK-MISC
B351	STACK-DEFECTIVE/DAMAGED CAP
B352	STACK-LOOSE BRICKS
B353	STACK-FALLING BRICKS
B354	STACK-CRACKED
B355	STACK-DEFECTIVE/DAMAGED LINER
B360	BREECHING-MISC
B361	BREECHING-DEFECTIVE/DAMAGED
B362	BREECHING-LEAKING
B363	BREECHING-COLLAPSED
B370	MODULATING PRESSURE CONTROL-MISC
B371	MODULATING PRESSURE CONTROL-DEFECTIVE/DAMAGED
B372	MODULATING PRESSURE CONTROL-MISSING
B373	MODULATING PRESSURE CONTROL-DEFECTIVE MOTOR
B390	FUEL OIL THERMOMETER-MISC
B391	FUEL OIL THERMOMETER-DEFECTIVE/DAMAGED
B392	FUEL OIL THERMOMETER-MISSING
B400	FORCED DRAFT FAN-MISC
B401	FORCED DRAFT FAN-DEFECTIVE/DAMAGED
B402	FORCED DRAFT FAN-MISSING
B410	INDUCED DRAFT FAN-MISC
B411	INDUCED DRAFT FAN-DEFECTIVE/DAMAGED
B412	INDUCED DRAFT FAN-MISSING
B420	FUEL OIL CONVERSION-MISC
B421	FUEL OIL CONVERSION-BLDG DEPT APPROVAL
B422	FUEL OIL CONVERSION-FIRE DEPT APPROVAL
B430	HOT WATER HEATER-MISC
B431	HOT WATER HEATER-REGISTRATION
H2O	REPAIR/INSTALL WATER METER
H999	HEALTH ELECTRONIC UPDATE CODE
S1	HEALTH PROTECTION POSTER 801.11
S10	OBSTRUCTIONS, GEN HOUSEKEEPING 1910.22(A)(1)
S100	REPLACE OR DRESS GRINDING WHEEL 1910.215(D)(3)
S101	PROV FLANGES FOR GRIND MACHINE 1910.215(A)(3)



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix –VIO CODES

Vio Code	Description
S102	PROV SAFE GUARD FOR GRIND MACH 1910.215(A)(2)(I)
S103	PROVIDE SHAFT GUARD 1910.219(C)(2)(I)
S104	MAINTAIN/ADJUST GRINDING MACHINE 1910.219(B)(4)
S105	GUARD SHAFTING 1910.219(C)(2)
S106	GUARD PULLEYS 1910.219(D)(1)
S107	GUARD BELTS 1910.219(C)(1)(I)
S108	PROV SAFE SLEEVE FOR OIL PUMPS 1910.219(I)(2)
S109	REPAIR HAZ CONDITION 1910.303(B)(1)
S11	PREV THE ACCUM OF PLASTER ON FL. 1910.22(A)(2)
S110	REPLACE GROUND PIN/REPLCE SWITCH 1910.303(B)(2)
S111	COVER EXPOSED WIRING 1910.303(B)(1)(II)
S112	3 PRONG PLUG GROUND RECEPTICLES 1910.303(B)(1)(VII)
S113	MARK GRINDING WHEEL 1910.303 (E)
S114	MARK, LABEL CIRCUIT BREAKER BOXES 1910.303(F)
S115	TIGHTEN OUTLET PLATES 1910.303(G)(2)(II)
S116	PROVIDE ADEQUATE WORKING SPACE 1910.303(G)(1)
S117	UNBLK CIRCUITE BREAK BX REPR DR 1910.304(E)(1)(IV)
S118	GROUND REFRIGERATOR/MILK CHEST 1910.304(F)(5)(V)
S119	PROVE PROPER GROUND TO EQUIP 1910.304(F)(4)
S12	MAINTAIN FLOORS 1910.22 (A)(3)
S120	PROV GROUND TO APPLIANCES 1910.304(F)(5)(V)(C)(5)
S121	PROVIDE RECEPTACLE 1910.304(F)(5)(V)(C)(1)
S122	CLOSE OPNG IN CIRCUIT BRKR BX 1910.305(B)(1)
S123	PROVIDE FACEPLATE FOR RECEPTACLE 1910.305(B)(2)
S124	PRVD DUST TIGHT PLGS TO RCPTCLS 1910.305(B)(3)
S125	PROVIDE PERMANENT WIRING 1910.305(G)(1)(III)(A)
S126	REMOV FLX CRD WHERE THRU DWAY 1910.305(G)(1)(III)(C)
S127	REMOV CORD ATTACH BUILD SURF 1910.305(G)(1)(III)(D)
S128	PROVIDE FIXED PERMANENT WIRING 1910.305(G)(1)(III)
S129	REPLACE SPLCD ELECTRIC CORD 1910.305(G)(2)(II)
S13	MAINTENANCE CEIL/FALLING PLASTER 1910.22(A)(1)
S130	DISCONTUING MEANS FOR MECHINERY 1910.305(J)(4)(II)(A)
S131	GUARD LIVE PRTS OF MOTOR 1910.305(J)(4)(IV)(A)
S132	PRVD SNGL DISCNCT FOR MTRS 1910.305(J)(4)(F)(3)
S133	PROTECTION FROM HAZARDOUS LOCATIONS 1910.307(B)(3)
S134	WIRING, GEN MAINT 1910.305
S135	NOISE PROTECTION PROGRAM 1910.95
S136	NOISE PROTECTION PROGRAM 191.95
S137	HAZARD COMMUNICATION PROGRAM 1910.1200(E)(1)
S138	LBL HZD CHEMS - SUPPLIER PROVIDED 1910.1200(F)(4)
S139	MATERIAL SAFETY DATA SHEET 1910.1200
S14	SECURE FLOOR LOADING PROTECTION 1910.22(D)(1)
S140	TRAINING FOR HAZARDOUS CHEMICALS 1910.1200(H)



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix –VIO CODES

Vio Code	Description
S141	PROPER WIRING OUTLETS 1910.135(Q)(1)(III)(A)
S142	HOUSEKEEPING FREE OF DUST/ASBESTOS 1910.1001(K)(1)
S143	COMPRESSED GAS CYLINDERS KNOCKED OVER 1910.101(B)
S144	OXY CY NOT SEP FR GAS CY 1910.252(A)(2)(IV)(C)
S145	STANDARD RLNGS OR FLR HOLE CVRS 1910.23(A)(8)
S146	LABEL FOR HAZARD CONTAINER 1910.23 (A)(8)
S147	NEED SECOND EXIT 1910.37
S148	TRK USE IN FLAM/STG 1910.178(C)(2)(IV)
S149	OPEN FLAME IN ELEC CHG AREA 1910.107(C)(2)
S15	PROVIDE HANDRAILS 1910.23(D)(1)
S150	RESPIRATORY PROTECTION 1910.134(A)(1)
S151	AIR CONTAMINATS-TAB Z-1 LMTS 1910.1000(A)(1)
S152	AIR CONTAMTS-COMPLIANCE 1910.1000(E)
S153	LBL HAZ CHEM-USER 1910.1200(F)(5)(I)
S154	LBL HAZ CHEM-USER WRNG 1910.1200(F)(5)(II)
S155	RESP PROTECTION-PROVIDE RESPIRATOR 1910.134(E)(2)
S156	RESP PROTECTION-WRITTEN PROCEDURES 1910.134(E)(3)
S157	HOUSEKEEPING - LEAD DUST 1910.1025(H)(1)
S158	PERMISSIBLE EXPOSURE LIMITS 1910.1450(C)
S159	EMPLOYEE INITIAL MONITORING 1910.1450(D)(1)
S16	PROVIDE STAIR RAILING 1910.23(D)(1)(II)
S160	EMPLOYEE PERIODIC MONIT 1910.1450(D)(2)
S161	EMPLOYEE MONIT NOTIFICATION 1910.1450(D)(4)
S162	CHEMICAL HYGIENE PLAN 1910.1450(E)(1)
S163	CHEM HYG PLAN AT SITE 1910.1450(E)(2)
S164	CHEM HYG PLAN CONTENTS 1910.1450(E)(3)
S165	CHEM HYG PLAN REVIEW 1910.1450(E)(4)
S166	CHEM TRAINING CLASS 1910.1450(F)(1)
S167	CHEM RE-TRAINING CLASS 1910.1450(F)(2)
S168	CHEM TRAINING EMPLOY INFO 1910.1450(F)(3)
S169	CHEM TRAIN CRS CONTENT 1910.1450(F)(4)
S17	PROVIDE HANDRAILS 1910.23(D)(1)(IV)
S170	MEDICAL EXAM 1910.1450(G)
S171	HAZARD IDENT LABELS 1910.1450(H)(1)
S172	HAZARD IDENT DATA SHEETS 1910.1450(H)(1)(II)
S173	HAZARD CHEM CLASSIFICATION 1910.1450(H)(2)
S174	RESPIRATORS 1910.1450(I)
S175	RECORDKEEPING-INDIVIDUAL 1910.1450(J)(1)
S176	RECORDKEEPING-TRANSFER 1910.1450(J)(2)
S177	INSPECTION & MAINT RECORDS 1910.217(E)(1)(1)
S178	MOISTURE RESISTANT FIXTURES 1910.305(J)(1)(IV)
S179	GUARD FIXTURES, RECEPTACLES 1910.305(J)(1)(I)
S18	PROVIDE HANDRAIL 1910.23(D)(1)(V)



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix –VIO CODES

Vio Code	Description
S185	BLD-PATHGNS EXPOS CTRL PLAN 1910-1030 (C)(I)(I)
S186	BLD-PATHGNS EXPOS DETRMNATN 1910.1030 (C)(2)(I)
S187	BLD-PATHGNS COMPLY METHODS 1910.1030 (D) (1)
S188	BLD-PATHGNS ENG & WK PRACT CTLS 1910.1030(D)(2)(I)
S189	BLD-PATHGNS HNDWASH FACLTs 1910.1030 (D) (2) (III)
S19	CHEMICAL STOREROOM REQUIREMENTS
S190	BLD-PATHGNS PRSNL PROTEC EQUIP 1910.1030(D)(3)(I)
S191	BLD-PATHGNS HOUSEKEEPING 1910.1030(D)(4)(I)
S192	BLD-PATHGNS DISINFECTANT 1910.1030 (D) (4) (II)
S193	BLD-PATHGNS REGULTD WASTE 1910.1030 (E) (4) (III)
S194	BLD-PATHGNS HBV POST EXP EVAL 1910.1030(F) (1) (I)
S195	BLD-PATHGNS HBV TR'MNT COST 1910.1030(F)(1)(II)(A)
S196	BLD-PATHGNS HB VACCINATN 1910.1030 (F) (2) (I)
S197	BLD-PATHGNS HBV POST EXP FLWUP 1910.1030 (F) (3)
S198	BLD-PATHGNS HLTH PROF OPINION 1910.1030 (F) (5)
S199	BLD-PATHGNS HAZ LABELS 1910.1030 (G) (1)
S2	DOSH 900 POSTER 801.3(A)(1)
S20	REPLACE MISSING HANDRAILS 1910.23(D)(V)
S200	BLD-PATHGNS HAZ INFO & TRAINING 1910.1030(G)(2)(I)
S201	BLD-PATHGNS HAZ RETRAINING 1910.1030(G)(2)(II)(C)
S202	BLD-PATHGNS RECORDKPG-MEDICAL 1910.1030(H) (1) (I)
S203	BLD-PATHGNS RECORDKPG-TRAINING 1910.1030(H)(2)(I)
S204	BLD-PATHGNS RECORDKPG-AVAILABTY 1910.1030(H)(3)(I)
S208	RESPIRATOR REQUIREMENTS-1910.134(B)
S209	PROVIDE TOILET FACILITIES
S21	REPAIR HOLES IN FLOORS 1910.23(A)(9)
S210	POTABLE WATER NOT PROVIDED 1910.141(B)(1)(1)
S211	HAZ PLAN-ETO EXPOSURE LIMIT 1910.1047(C)
S212	HAZ PROTECTIVE EQUIP 1910.132(A)
S213	RESPIRATORS-CLEAN & MAINTAIN 1910.134(F)(3)
S214	RESPIRATORS-STORE PROPERLY 1910.134(F)(5)(I)
S215	STORAGE AREA-HOUSEKEEPING 1910.176(C)
S216	LAVATORY-PROVIDE HAND SOAP 1910.141(D)(2)(III)
S217	LEAD-PERMISS'BLE EXPO'RE LMT (PEL) 1910.1025(C)(1)
S218	LEAD-(PEL) TIME WEIGHT AVG (TWA) 1910.1025(C)(2)
S219	LEAD-EXPOSURE MONITORING 1910.1025(D)
S22	REPAIR LADDER 1910.25(D)(2)(VIII)
S220	LEAD-MONIT'NG-INITIAL DETERM'ION 1910.1025(D)(2)
S221	LEAD-BASIS OF INITIAL DETERM'ION 1910.1025(D)(3)
S222	LEAD-POSITIVE INITIAL DETERM'ION 1910.1025(D)(4)
S223	LEAD-RECORD OF NEG DETERM'ION 1910.1025(D)(5)
S224	LEAD-TEST FREQ"ABOVE"ACTION LVL 1910.1025(D)(6)(I)
S225	LEAD-TEST FREQ"BELOW"ACT'N LVL 1910.1025(D)(6)(II)



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix –VIO CODES

Vio Code	Description
S226	LEAD-TEST FREQ "ABOVE" PEL 1910.1025(D)(6)(III)
S227	LEAD-PROVIDE ADDITIONAL MONITORING 1910.1025(D)(7)
S228	LEAD-TEST RESULT-ADVISE EMPLOYEE 1910.1025(D)(8)
S229	LEAD-ACCURACY OF MEASUREMENT 1910.1025(D)(9)
S23	WOOD LADDER FREE FROM DEFECT 1910.25(B)(1)(I)
S24	SEALED EXIT DOOR 1910.36(B)(4)
S25	PROVIDE FIRE ALARM SYSTEM 1910.36(B)(7)
S26	MAINTAIN DOOR PROPERLY 1910.36(D)(1)
S27	REPAIR FIRE DOORS 1910.36(D)(2)
S28	ILLUMINATE EXIT FACILITIES 1910.36(B)(6)
S28A	PROVIDE 2ND MEANS EGRESS 1910.36(B)(8)
S29	PROVIDE SAFE MEANS OF EGRESS 1910.36(K)(2)
S3	DOSH 900 POSTER 801.3/LOG
S30	REPLACE BULBS 1910.37(Q)(7)
S300	CONF'D SPACE-EVAL'ION-FLOW CHART 1910.146(C)(1)
S301	CONF'D SPACE-POST DANGER SIGNS 1910.146(C)(2)
S302	CONF'D SPACE-PREVENT ENTRY 1910.146(C)(3)
S303	CONF'D SPACE-WRITTEN ENTRY PROGR'M 1910.146(C)(4)
S304	CONF'D SPACE-REEVALUATE SPACE 1910.146(C)(6)
S305	CONF'D SPACE-RECLASSIFICATION 1910.146(C)(7)(I-IV)
S306	CONF'D SPACE-INFORM SUB-CONTRS 1910.146(C)(8)(I)
S307	CONF'D SPACE-INFRM SUB OF HAZ 1910.146(C)(8)(II)
S308	CONF'D SPACE-ADV SUB PREC'TNS 1910.146(C)(8)(III)
S309	CONF'D SPACE-COORD ENTRY W/SUB 1910.146(C)(8)(IV)
S31	PROVIDE EXIT SIGNS 1910.37(Q)(1)
S310	CONF'D SPACE-D'BRIEF SUB 1910.146(C)(8)(V)
S311	CONF'D SPACE-SUB COORDINATION 1910.146(C)(9)
S312	CONF'D SPACE-PERMIT-REQ'D PROGRAM 1910.146(D)
S313	CONF'D SPACE-DVLP ENTRY PROC'DRS 1910.146(D)(1)
S314	CONF'D SPACE-ID HAZ OF SPACE 1910.146(D)(2)
S315	CONF'D SPACE-ID ENT CONDITNS 1910.146(D)(3)(I)
S316	CONF'D SPACE-ISOLATE SPACE 1910.146(D)(3)(II)
S317	CONF'D SPACE-PURGE SPACE 1910.146(D)(3)(III)
S318	CONF'D SPACE-PROTCT PEDESTRNS 1910.146(D)(3)(IV)
S319	CONF'D SPACE-VERIFY CONDITIONS 1910.146(D)(3)(V)
S32	MAINTAIN SELF CLOSING FIRE DOOR 1910.37(B)(3)
S320	CONF'D SPACE-PROV PROTCTN EQPT 1910.146(D)(4)
S321	CONF'D SPACE-MONITORING EQPT 1910.146(D)(4)(I)
S322	CONF'D SPACE-VNTLATING EQPT 1910.146(D)(4)(II)
S323	CONF'D SPACE-COM'UNICTN EQPT 1910.146(D)(4)(III)
S324	CONF'D SPACE-PERSONAL PROTCTN 1910.146(D)(4)(IV)
S325	CONF'D SPACE-LIGHTING EQPT 1910.146(D)(4)(V)
S326	CONF'D SPACE-PROV'D BARRIERS 1910.146(D)(4)(VI)



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix –VIO CODES

Vio Code	Description
S327	CONF'D SPACE-MISC PROTEC EQPT 1910.146(D)(4)(VII)
S328	CONF'D SPACE-EMER RSCU EQPT 1910.146(D)(4)(VIII)
S329	CONF'D SPACE-AL/OTHER SFTY EQPT 1910.146(D)(4)(IX)
S33	PROVIDE "NOT AN EXIT" SIGN 1910.37(Q)(2)
S330	CONF'D SPACE-EVAL PERMIT CONDITIONS 1910.146(D)(5)
S331	CONF'D SPACE-TEST SPACE (PRIOR) 1910.146(D)(5)(I)
S332	CONF'D SPACE-MAINTAIN TEST 1910.146(D)(5)(II)
S333	CONF'D SPACE-TEST ATMOSPHERE 1910.146(D)(5)(III)
S334	CONF'D SPACE-PROVIDE ATTENDANT 1910.146(D)(6)
S335	CONF'D SPACE-MULTI-SPACE ATTEND'NT 1910.146(D)(7)
S336	COMPLY WITH RIGHT TO KNOW TRAINING
S34	PROTECT EXTERIOR WAY OF EXIT ACCESS 1910.37(Q)(3)
S35	PROVIDE "EXIT" SIGN 1910.37(Q)(5)
S354	CONF'D SPACE-ENT PMT AUTH ATTNDT 1910.146(F)(5)
S355	CONF'D SPACE-ENT PMT AUTH SPVISR 1910.146(F)(6)
S356	CONF'D SPACE-ENT PMT LIST HAZ'D'S 1910.146(F)(7)
S357	CONF'D SPACE-ENT PMT HAZ'D CONTR'LS 1910.146(F)(8)
S358	CONF'D SPACE-ENT PMT ACTBL CDTNS 1910.146(F)(9)
S359	CONF'D SPACE-ENT PMT TEST RESULTS 1910.146(F)(10)
S36	MAINTAIN ILLUMINATED EXIT SIGNS 1910.37(Q)(6)
S360	CONF'D SPACE-ENT PMT RSCU SVCS 1910.146(F)(11)
S361	CONF'D SPACE-ENT PMT COM'UN ACTIONS 1910.146(F)(12)
S362	CONF'D SPACE-ENT PMT EMER'G'CY EQPT 1910.146(F)(13)
S363	CONF'D SPACE-ENT PMT MISC CONDT'S 1910.146(F)(14)
S364	CONF'D SPACE-ENT PMT LST REQD PMTS 1910.146(F)(15)
S365	CONF'D SPACE-REQD TRAINING 1910.146(G)(1)
S366	CONF'D SPACE-TRAIN EMPLOYEES 1910.146(G)(2)
S367	CONF'D SPACE-TRAIN PRSNL-PRIOR 1910.146(G)(2)(I)
S368	CONF'D SPACE-TRN PRSNL-PRI DTY CHNG(G)(2)(II)
S369	CONF'D SPACE-TRN EMPL-NEW HAZ'D 1910.146(G)(2)(III)
S37	FREE EXIT OF OBSTRUCTIONS 1910.37(1)(1)
S370	CONF'D SPACE-TRN EMPLY-NW/SCOPE 1910.146(G)(2)(IV)
S371	CONF'D SPACE-TRN EMPLY-NW/PROCDS 1910.146(G)(3)
S372	CONF'D SPACE-TRN EMPLYS-CERT COMPL 1910.146(G)(4)
S373	CONF'D SPACE-ENTRANT DUTIES 1910.146(H)
S374	CONF'D SPACE-ENTRANT HAZ KNLDGE 1910.146(H)(1)
S375	CONF'D SPACE-ENTRANT EQUPT KNLDGE 1910.146(H)(2)
S376	CONF'D SPACE-ENTRANT COMMUN KNLDGE 1910.146(H)(3)
S377	CONF'D SPACE-ALERT ATTNDT 1910.146(H)(4)(I,II)
S378	CONF'D SPACE-ATTNDT DUTIES 1910.146(I)(1-10)
S379	CONF'D SPACE-ENT SUPVSR DUTIES 1910.146(J)(1-6)
S38	LABEL EXIT SIGN PROPERLY 1910.37(Q)(8)
S380	CONF'D SPACE-RESCUE SERVICES 1910.146(K)(1-4)



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix –VIO CODES

Vio Code	Description
S381	CONF'D SPACE-FLOW CHART-1910.146-APPENDIX (A)
S382	CONF'D SPACE-ATMOSP'RIC TEST-1910.146-APPENDIX (B)
S383	CONF'D SPACE-12 NYCRR 800.5 ENG CTRL 1910.1000 A-D
S39	REPR BRKN STEP/REPR MEANS OF EGRESS 1910.37(K)(1)
S4	DOSH 400 POSTER 801.2
S40	EXIT WIDTH REQUIRMENTS 1910.37(F)(6)
S41	BLOCKED MEANS OF EGRESS 1910.37(K)(2)
S42	PROV F/STORAGE OF FLAMM/COMB LIQ 1910.106(D)(4)(I)
S43	PROV F/STORAGE VENTILATION 1910.106 (D)(4)(IV)
S44	PROVIDE FIRE EXTINGUISHERS 1910.106(D)(7)(I)(A)
S45	PROV FLAMMABLE STORAGE CABINET 1910.106(D)(5)(III)
S46	PROV SAFE CAP F/ACETYLENE CYL 1910.110(F)(2)(III)
S47	PROVIDE EYE PROTECTION 1910.133(A)(1)
S48	WALLS/PARTITIONS IN WATER CLOSETS 1910.141(C)(2)(I)
S49	PREVENT FALL PLASTER/WATER LEAK 1910.141(A)(3)(I)
S5	PESH POSTER 801.10
S50	MAINTAIN DRY FLOORS 1910.141(A)(3)(II)
S51	PREVENT RODENTS, INSECTS/VERMIN 1910.141(A)(5)
S52	REMOV SPLINTERS/LOOSE BOARDS 1910.141(A)(3)(III)
S53	MAINTAIN WATER CLOSETS 1910.141(A)(2)(X)
S54	PROV LAVATORY WITH HOT/COLD H2O 1910.141(D)(2)(II)
S55	REMOV PIGEON DROP/DISINFECT AREA 1910.141(A)(4)(II)
S56	MARK DUCT YELLOW TO SIGNIFY CAUTION 1910.144(C)(3)
S57	PAINT "CAUTION" SIGN ON PIPES 1910.144(A)(3)
S58	PROVIDE SAFETY SIGN 1910.145(C)(2)(I)
S59	PROVIDE CAUTION SIGN 1910.145(C)(2)(II)
S6	SUMMARY OF OCCUPATIONAL INJURIES/ILL 807.3(A)(1)
S60	PRVD SFTY INSTRUCTION SIGNS 1910.145(C)(3)
S61	TAG HOUSE PUMP 1910.145(F)(6)
S62	PROVIDE "TAG OUT OF ORDER" 1910.145(F)(16)
S63	PROVIDE CAUTION SIGN 1910.148(C)(2)(II)
S64	PROVIDE EYE WASH 1910.151(C)
S65	FIRE EXTINGUISHER TRAINING 1910.157(A)(1)
S66	FIRE EXTINGUISHER RETRAINING 1910.157(A)(2)
S67	PROVIDE FIRE EXTINGUISHER 1910.157(D)(2)
S68	ANNUAL TEST OF PORTBL FIRE EXT. 1910.157(E)(3)
S69	RECHARGE FIRE EXTINGUISHER 1910.157(C)(4)
S7	TOXIC SUBSTANCE WARNING SIGN 876.1
S70	REMOVE FIRE EXTINGUISHER 1910.157(C)(5)
S71	PROVIDE/HANG/CLR ACCESS-FIRE EXTG'S 1910.157(C)(1)
S72	FIRE EXTINGUISHER TRAINING 1910.157 (G)(1)
S73	SUPPLY FIRE EXTINGUISHER CLASS "A" 1910.157(D)(1)
S74	PROVIDE CLASS "B" FIRE EXTINGUISHER 1910.157(D)(4)
S75	PROVIDE CLASS "C" FIRE EXTINGUISHER 1910.157(D)(5)



DSF VIOLATIONS APPLICATION GUIDELINES

HELP – Appendix –VIO CODES

Vio	Description
S76	FIRE EXTINGUISHER RETRAINING 1910.157(G)(2)
S77	ANNUAL CHECK OF FIRE EXTINGUISHER 1910.157(C)(3)
S78	MONTHLY INSPECT OF EXTINGUISHERS 1910.157(E)(2)
S79	HYDROSTATIC TEST FIRE EXTINGUISHER 1910.157(F)(2)
S8	EMPLOYEES SAFETY REQUIREMENTS 27A(3)(A)(1)
S80	RECORDS OF HYDROSTATIC TESTING 1910.157(F)(16)
S81	RECHARG FIRE EXTINGUISHER 1910.157(G)(4)
S82	MAINTAIN FIRE EXTINGUISHER 1910.159(C)(4)
S83	PROVIDE FREQUENT TEST OF FIRE ALARM 1910.165(D)(2)
S84	STORE PROPERLY 1910.176(B)
S85	GUARD BELT 1910.212(A)(1)
S85A	MACHINERY NOT GUARDED 1910.212(A)(3)(II)
S86	GUARD PAPER CUTTER 1910.212(A)(3)(III)
S87	GUARD FAN 1910.212(A)(5)
S88	SECURE MACHINERY 1910.212(B)
S89	GUARD BANDSAW 1910.213(I)(1)
S9	REPR TILES TO ELIMINATE TRIPPING HAZARD 1910.22(A)
S90	DEV. TO PREVENT SAW FROM AUT.RESTRT 1910.213(B)(3)
S91	GUARD CIRCULAR SAW 1910.213(C)(1)
S92	PROVIDE SPEADER FOR SAW 1910.213(C)(2)
S93	PROV NON-KICKBACK FINGER/DOG F/SAW 1910.213(C)(3)
S94	PROVIDE GUARD ON LATHES 1910.213(O)(4)
S95	INSTALL RADIAL SAW PROPERLY 1910.213(H)(4)
S96	PROV SAFETY GUARD F/GRINDING WHEEL 1910.215(A)(1)
S97	PROVIDE/ADJUST WORK REST ON GRINDING WHEEL 1910.215(A)(4)
S98	PROV TONGUE GUARD F/GRINDING WHEEL 1910.215(B)(A)
S99	PRV/ADJ TONGUE GUARD F/GRND WHEEL 1910.215(B)(9)
W100	DAMAGED WINDOWS
W101	DAMAGED WINDOW PARTING STRIPS
W102	DAMAGED WINDOW MECHANISM - SASH CHAIN
W103	DAMAGED WINDOW MECHANISM - BALANCE
W104	BROKEN WINDOW GLASS
W105	OBSTRUCTION FOR WINDOW CLEANING (30" CLEARANCE)
W106	DEFECTIVE/UNAPPROVED WINDOW CLEANING ANCHOR BOLT
W107	DEFECTIVE WINDOW CLEANING ANCHOR BOLT INSTALLATION
W108	DEFECTIVE WINDOW CLEANER SAFETY BELT
W109	IMPROPER WINDOW SILL WIDTH FOR CLEANING (4"MIN)
W110	IMPROPER WINDOW LOCKING DEVICE
W111	PROPERLY SECURE/POSITION WINDOW GUARD
W112	EVIDENCE OF COMPLIANCE (SDL FORM ISS-18)
W113	PROVIDE/REPAIR WINDOW SHADE(S)
W114	PROVIDE SIGNED STATEMENT BELTS NO LONGER IN USE -MISC



DSF VIOLATION SYSTEM

Reports – Level 2 & 3



The New York City Department Of Education

Joel I. Klein, Chancellor

DSF Violations

DSF

HOME | UPDATE | VCU LIST | VIEW | **REPORTS** | SEARCH VIOLATIONS | LOGOUT | HELP

Reports (8)

Please select a report

Please select a report

Vio Agency Outstanding *

Vio Agency Geo Assign SOW Long

Vio School SOW Long Desc



Vio Number

BLDG Info

Lease Fact Sheet

ECB-C School Detail

School Detail

<div>Type: Vio Agency Outstanding*</div> <div>Report: Vio Agency Outstanding</div> <div>Agency Code: <input type="text"/></div> <div>From: <input type="text"/> </div> <div>To: <input type="text"/> </div> <div>Hazardous: <input type="text" value="Select hazard type"/></div> <div>View Report</div>



DSF VIOLATION SYSTEM

Reports – Level 2 & 3

Type: Vio School SOW Long Desc Report

Report: Vio School SOW Long Desc Report

From:

To:

Agency Code:

Vio Code:

Building ID:

Status of Work or All:

[View Report](#)

Type: Lease Fact Sheet

HOME | UPDATE | VCU L

Report: Lease Fact Sheet

Boro:

Jur Dist:

Building ID:

Lease Status:

[View Report](#) [Reset](#)

Type: ECB-C School Detail Report

HOME

Report: ECB-C School Detail Report

Building:

[View Report](#)

Type: School Detail Report

Report: School Detail Report

Building:

Agency Code:

[View Report](#)



DSF VIOLATION SYSTEM

Reports – Level 5



The New York City Department Of Education

Joel I. Klein, Chancellor

DSF Violations

HOME | UPDATE | VCU LIST | VIEW | **REPORTS** | SEARCH VIOLATIONS | LOGOUT | HELP

DSF

Reports (5)

Please select a report

Please select a report





Vio Agency Outstanding *

Vio Agency Geo Assign SOW Long

Vio Number

BLDG Info

School Detail

<div>Type: Vio Agency Outstanding*</div> <div><div>Report: Vio Agency Outstanding</div><div>Agency Code: <input type="text"/></div><div>From: <input type="text"/> </div><div>To: <input type="text"/> </div><div>Hazardous: <input type="text" value="Select hazard type"/></div><div><input type="button" value="View Report"/></div></div>	<div>Type: Vio Number</div> <div><div>Report: VioNumber</div><div>Violation Number: <input type="text"/></div><div><input type="button" value="View Report"/></div></div>
<div>Type: Vio Agency Geo Assign SOW Long</div> <div><div>Report: Vio Agency Geo Assign SOW Report</div><div>From: <input type="text"/> </div><div>To: <input type="text"/> </div><div>Agency Code: <input type="text"/></div><div>Integrated service center: <input type="text" value="--Select Item--"/></div><div>Geo Dist: <input type="text" value="--Select Item--"/></div><div>Building ID: <input type="text" value="--Select Item--"/></div><div>Hazardous: <input type="text" value="--Select Item--"/></div><div>Vio Code: <input type="text"/></div><div>Assignee: <input type="text" value="--Select Item--"/></div><div>Status of Work or All: <input type="text" value="--Select Item--"/></div><div><input type="button" value="View Report"/> <input type="button" value="Reset"/></div></div>	<div>Type: Bldg Info Report</div> <div><div>Report: Bldg Info Report</div><div>Bldg: <input type="text"/></div><div>Or</div><div>Bldg Address: <input type="text"/></div><div><input type="button" value="View Report"/></div></div>



DSF VIOLATION SYSTEM Reports – Level 5

Type: School Detail Report

Report: School Detail Report	
Building:	<input type="text"/>
Agency Code:	<input type="text"/>
<input type="button" value="View Report"/>	